CryoLand

GMES Snow and Land Ice Service 2011-2015

FMI project team:
K. Luojus, J. Pulliainen, J. Ikonen
M. Kangwa, T. Ryyppö, M. Takala

Coordination:
Thomas Nagler
ENVEO IT GmbH

CryoLand is a Collaborative Project (2011-2015) funded by EU under the 7th Framework Programme (No:262925), Theme SPA.2010.1.1-01– Stimulating the development of downstream GMES services.

Overall Project Objectives

Develop, implement and validate an operational, sustainable service for monitoring snow and land ice as a Downstream Service within GMES in a value added chain with the Land Monitoring Core Service.

The project prepares the basis for a future cryospheric component of the GMES Land Monitoring Service.

CryoLand Project Partners

10 Partners from Austria, Finland, Norway, Romania, Sweden, Switzerland

Dr. Thomas Nagler (Coordinator)
ENVEO
Innsbruck, Austria
Contact: thomas.nagler@enveo.at
http://www.enveo.at

Partners:

EOX IT Services
Vienna, Austria
http://www.eox.at

Finnish Environment Institute
Helsinki, Finland
http://www.environment.fi

Finnish Meteorological Institute
Helsinki, Finland
http://www.fmi.fi

Kongsberg Satellite Services
Tromsø, Norway
http://www.ksat.no

Northern Research Institute
Tromsø, Norway
http://www.norut.no

Norwegian Computing Center
Oslo, Norway
http://www.nr.no

National Meteorological Administration
Bucharest, Romania
http://www.meteoromania.ro

GAMMA Remote Sensing
Gümlingen. Switzerland
http://www.gamma-rs.ch

Swedish Meteorological & Hydrological Institute
Norrköping, Sweden
http://www.smhi.se


CryoLand
Snow
Glaciers
Lake / River Ice
Products from
Satellite Data and In-situ Measurements

Users of CryoLand Services

CryoLand User Group includes >60 Organisations from 12 Countries

Application Fields

- Hydropower companies
- Energy traders
- Road, Railway and River Authorities
- Geotechnical and Construction companies
- Avalanche warning centres
- Ecologists
- Hydrological services
- Meteorological services
- Climate monitoring institutions
- Reindeer herders
- Environmental agencies

CryoLand User group contributes to:

- Product and service Requirements
- Requirements for service interfaces

4 User WS held in 2011

- Consolidation of Product and Service Specification **WS 5/2012**
- Testing and Evaluation of services and products **(ongoing)**

CryoLand Products

Specifications of products are done according to user needs which were assessed in workshops held in Vienna, Oslo, Saariselka, Bucharest in 2011 and consolidated in the user meeting in Stockholm in 2012

Snow Service - Main Products:
- Snow Cover Area (Fractional, Binary, different scales)
- Snow Water Equivalent (Coarse)
- Snow Wetness / Melting area
- Snow Temperature
- Surface Albedo

Main EO Data:
- Optical Satellite (MODIS, Sentinel S3)
- SAR (ERS, ENVISAT, Sentinel S1)
- Passive MW data (AMSR)

Glacier Service - Main Products:
- Glacier area / outlines
- Maps of snow / ice area
- Ice motion maps
- Glacier dammed lakes

Main EO Data:
- High Resolution MS Optical (SPOT)
- High Resolution SAR (TerraSAR-X, ERS, ENVISAT, S1)

Lake / River Ice - Main Products:
- Lake Ice and River Ice extent
- Temporal changes of ice extent
- Snow extent

Main EO data:
- SAR (ENVISAT, RadarSAT, TSX, S1)
- Optical Satellite data (MODIS, SPOT, S2, S3)

Product Implementation Order

Snow (highest priority):

- Snow Extent:
  - Regional
  - Local
  - Pan-European
- Snow Water Equivalent (low resolution)

Glacier (highest priority):

- Glacier Outlines

Lake / River Ice (highest priority):

- Lake / River Ice Extent and Lake Ice Concentration
- Fractional Snow Cover on Lake Ice

Snow:

- Melting Snow Area (medium)
- Statistical Snow Information Area (medium)
- Snow Surface Wetness (low)
- Spectral Surface Albedo (low)
- Snow Surface Temperature (low)
- Snow Grain Size (low)

Glacier:

- Snow / Ice Area (medium)
- Glacier Lake (medium)
- Glacier Surface Velocity (low)

Lake / River Ice:

- First / Last day of Ice (medium)
- Snow Depth on Lake Ice (low)
- Lake Surface Temperature (low)
- River Ice Jam, Flood Inundation Area (low)

CryoLand Snow Product Specifications

Product type	Spatial resolution	Temporal Coverage	Coverage	Latency time	Impl. Priority	EO sensors
Snow extent, pan-European	**500 (1000)m**	**Daily, full year**	**35N / 10W – 71N / 45E**	**<1 day**	**1**	**MODIS, Sentinel S1, S3**
Snow extent, regional	**250 m – 500 m**	**Daily, full year**	**Alps, Nordic, Baltic Sea area**	**<1 day**	**1**	**MODIS, ASAR (archived), Sentinel S1, S3**
Snow extent, local	**25 – 50 m**	**monthly, full year**	**Alpine valleys, small AOIs (on request)**	**<1 day**	**1**	**Sentinel 2, (Landsat)**
Snow Water Equivalent (Low res)	**10 – 25 km**	**Daily, dry snow season**	**Pan-European, Northern hemisphere**	**<1 day**	**1**	**SSMI/S, AMSR2**
Melting snow area	100 m	Daily, Spring/Summer/Fall/Winter	Regional, local	<1 day	2	ASAR (archived), Sentinel S1
Statistical snow Information	HRU / basin	Daily	Local	<1 day	2	--
Snow Surface Wetness	1000 m	Daily	Regional	<1 day	3	MODIS, Sentinel S3
Spectral Surface Albedo	250 m - 1000 m	Daily	Local, regional	<1 day	3	MODIS, Sentinel S3
Snow Surface Temperature	1000 m	Daily	Regional, local	<1 day	3	MODIS, Sentinel S3

Approach for product and service improvement towards user needs

1. User requirements / dialogue for improved product requirements and specification

2. Algorithm development / adjustment to match user needs
3. Generation of test products and validation for different regions and periods
4. User consultation and feedback on product and services

5. Final algorithms, fully validated products and services




CLOUDS
10 %
20 %
30 %
40 %
50 %
60 %
70 %
80 %
90 %
100 %
No Data
01-02-2011
CRYOLAND PAN EUROPEAN FSC

Pan European Snow Extent Product

- **Product Specifications:**
  - Domain:
    71°N 10°W – 35°N 45°E
  - Projection: LatLon/WGS84
  - Pixel size: 0.01° (ca 1km)
    (planned for 2013/14: 500 m)
  - Latency: < 1 day
- **Status**
  - Sensor: MODIS (Backup VIIRS, Sentinel-3)
  - Regional service integration, processing chain and portal implemented
  - NRT Pilot Service 2012/13:: Performance of 3 Algorithms is in evaluation
  - Operational NRT for Winter 2013/14



Pan European SWE Product

Draft requirements and specification:

- Projection: LatLon / WGS84
- Pixel size: 0.1 deg; ca 10 km
- Temporal resolution: Daily
- Latency: < 1 day

• Product status:

- Algorithm based on H-SAF and GlobSnow, new post-processing and data delivery
- Based on passive microwave observations and ECMWF weather station data



CryoLand SWE product, 15/2/2011

Regional Fractional Snow Cover Products

Alpine Areas 250 m (MS Unmixing)



Generated for User Specified Basins (Processing on demand)







Boreal Forests 500 m (ScaMod)



Scandinavia (250m)



Automatic Processing Line



Products build on expertise of project partners developed in various other projects.
Projection: Geographic; UTM; Lambert EA/AT; Pixel size: 250 m-1km;
Sensor: MODIS; (VIIS; Sentinel-3);

Melting Snow Extent – Regional Alps, Scandinavia

Binary map of wet snow from Multi-temporal SAR data

- 100 m pixel size
- Projection: Geographic, UTM, Lambert EA Austria

- Demonstration Products: Time series of Products uses archived ENVISAT ASAR data

- NRT demonstration service with Sentinel-1 planed

- Capabilities of operational service for wet snow monitoring using Sentinel-1 data



9 June 2006, ENVISAT ASAR WSM.
Red – wet snow extent, Yellow – layover / foreshortening

Snow Extent Product Quality Assessment



Quality Assessment of Snow Extent Products is performed in different environments:

- Fractional SE products from high resolution optical images:
  - Very High resolution images (IKONOS, SPOT5, Quickbird)
  - Landsat TM/ETM+
- In-situ snow transects measured operationally by SYKE in Finland

Accuracy assessment of SE products and services is still ongoing according to the planning of the project.

Accuracy Assessment of SE Products

MODIS SCAMOD –
Pan European Product
In-situ Snow transects
versus FSC



Very High resolution Images provide detailed snow information in mountains and forests (sparse->dense) and enable the quality assessment of CryoLand SE products in these areas.



Glacier Products

Glacier Outlines



Snow and Glacier Ice areas



Ice Velocity Fields



Extent of Glacier Dammed Lakes



Lake / River Ice Prototype Products

Fresh Water Ice Extent and Temporal Changes



Break up of lake ice at the lake Nedre Heimdalsvatn, Norway: red - lake boundaries; blue – open water; green – lake ice.

Snow Cover on Lake Ice



Snow covered area on lake Inari 8 May 2010

Service Level Concept

Satellite EO



EO Data Providers

GMES Core Service Land

In-situ Data

In-situ Data Providers

CryoLand

Product Providers

Snow

Glacier



Lake /River Ice

User

Data provided by the user

Product and Information Exchange



CryoLand – User Driven Approach

- Development of a end-user tailored added-value product for drought monitoring (presentation by O-M Verta)

- Utilization of previous development efforts (ESA GlobSnow) to derive a novel product meeting end-user needs
- Long-term snow information (covering 30-years) used for NRT drought monitoring

- Intermediate end-user: European Drought Observatory (JRC)



CryoLand Snow – Ongoing Activities

- NRT Time Pilot Service for Pan-European FSC and SWE winter 2012/2013. http://cryoland.eu
- Validation of SE products and products quality assessment
- User WS for evaluation of Pilot Services, planned for May 2013.
- Adaptation and implementation of algorithms to Sentinel Satellite Series.
- End-2-End testing and evaluating of CryoLand Services.
- CryoLand Demonstration of NRT Snow Services 2013/14, including pan-european and regional snow products, but also primary lake ice and glacier products.

Thank you for your attention!

CryoLand

SEVENTH FRAMEWORK PROGRAMME

http://www.cryoland.eu